REPORT NUMBER: 114-CAL-04-06

SAFETY COMPLIANCE TESTING FOR FMYSS No. 114 THEFT PROTECTION

GENERAL MOTORS OF CANADA LTD. 2004 PONTIAC GRAND PRIX 4-DOOR SEDAN

NHTSA NUMBER: C40101

CENBRAL DYNAMICS TEST NUMBER: 8655-F114-06

GENERAL DYNAMICS
ADVANCED INFORMATION ENGINEERING SERVICES
TRANSPORTATION SCIENCES CENTER
P.O. BOX 400
BUFFALO, NEW YORK 14225



April 29, 2004

FINAL REPORT

U. S. DEPARTMENT OF TRANSPORTATION
National Highway Traffic Safety Administration
Enforcement
Office of Vehicle Safety Compliance
400 Seventh Street, SW
Room No. 6115 (NVS-220)
Washington, DC 20590

This publication is distributed by the U.S. Department of Transportation, National Highway Traffic Safety Administration, in the interest of information exchange. The opinions, findings and conclusions expressed in this publication are those of the author(s) and not necessarily those of the Department of Transportation or the National Highway Traffic Safety Administration. The United States Government assumes no liability for its contents or use thereof. If trade or manufacturers names or products are mentioned, it is only because they are considered essential to the object of the publication and should not be construed as an endomement. The United States Government does not endorse products or manufacturers.

Prepared By:	Patrick G. MacDiarmid, Jr., Project Engineer
Approved By:	David J. Travale, Frogram Manager Transportation Ciences Center
Approval Date:	April 29,2004
FINAL REPORT	ACCEPTANCE BY OVSC:
Accepted By:	Jan Junear
Acceptance Date:	5/18/04

TECHNICAL REPORT STANDARD TITLE PAGE

	5 5	T-	. m		
1. Report No.	2. Government Accession No.		I. Recipient's Catalog No.		
114-CAL-04-06 4. Title and Subtitle			. Report Date		
Final Report of FMVSS 114 Complian		April 29, 2004			
Prix 4-Door Sedan	KE TESTING OLS TOWN	BRC CHAILU	Ари 29, 2004		
		-	i. Performing Organization C	ada	
NHTSA No.: C40101		l'	CAL		
7. Author(s)			R. Performing Organization	Report No.	
Patrick G. MacDiarmid, Jr., Project Er	gincer		8655-F114-06		
David J. Travale, Program Manager					
9. Performing Organization Name and Address			0. Work Unit No.		
General Dynamics					
Advanced Information Engineering Sc	rvices				
Transportation Sciences Center		Ĺ			
P.O. Box 400		[7	II, Contract or Grant No.		
Buffalo, New York 14225		<u> </u>	DTNH22-01-C-01025		
12. Spousoning Agency Name and Address		į:	3. Type of Report and Period	Covered	
U.S. Department of Transportation		- 1	Final Report,		
National Highway Traffic Safety Adm	inistration	1	April 13 – April 29, 20	004	
Enforcement					
Office of Vehicle Safety Compliance (NV\$-220)	L			
400 Seventh Street, SW, Rm. 6115			 Spongering Agency Cod 		
Washington, D.C. 20590			NVS-220		
15. Supplementary Notes					
16. Abstract			· · · · · · · · · · · · · · · · · · ·		
Compliance tests were conduct	ed on the subject 2004 Po	ntiac Grand P	rix 4-Door Sedan in acc	ordance with	
the specifications of the Office of Vehic	le Safety Compliance Te	st Procedure 1	No. TP-114-01 for the d	letermination	
of FMVSS 114 compliance. Test failure					
None					
17. Key Words		Histribution State			
Compliance Testing	Copies of this report are available from:				
Safety Engineering	1	NHTSA Technical Information Services (TIS)			
FMVSS 114 Room 5108 (NAD-40)					
		400 Seventh S	treet, SW		
	,	Washington, D.C. 20590			
		Telephone No. (202) 366-2588			
19. Security Classification of Report	20. Security Classification of		21. No. of Pages	22. Price	
UNCLASSIFIED	UNCLASSIFI	ED	26		

TABLE OF CONTENTS

Section		Page No
1	Purpose of Compliance Test	1-1
2	Test Procedure and Discussion of Results	2-1
3	Test Data Data Sheet 1 – All Vehicles Data Sheet 2 – Automatic Transmission Vehicles Data Sheet 3 – Special Devices	3-1 3-2 3-4 3-6
4	Test Equipment List and Calibration Due Dates	4-1
5	Photographs Figure 1: Vehicle Left Front Three-Quarter View Figure 2: Vehicle Certification Placard Figure 3: Vehicle Tire Placard Figure 4: Close-Up Of Ignition Switch Figure 5: Close-Up Of Transmission Shift Lever Mechanism	5-1 5-2 5-3 5-4 5-5 5-6
_	Vehicle Onmer's Moreun	6 1

ì¥

FURPOSE OF COMPLIANCE TEST

This test is part of the Federal Motor Vehicle Safety Standard (FMVSS) 114 Compliance Test Program conducted for the National Highway Traffic Safety Administration (NHTSA) by General Dynamics Advanced Information Engineering Services under Contract No. DTNH22-01-C-01025. The purpose of this test was to determine if the subject vehicle, a 2004 Pontiac Grand Prix 4-Door Sedan, was in compliance with FMVSS No. 114, Theft Protection. The purpose of this standard is to reduce the incidence of crashes resulting from unauthorized operation of vehicles by specifying requirements for theft protection. Additionally, FMVSS No. 114 specifies requirements to reduce the incidents of crashes from rollaway of parked vehicles with automatic transmissions as a result of children moving the shift mechanism out of the "park" position. This standard applies to passenger cars, trucks and multipurpose passenger vehicles having a Gross Vehicle Weight Rating (GVWR) of 4536 kilograms or less. This compliance test was conducted using the requirements found in the OVSC Laboratory Test Procedure No. TP-114-01, dated December 17, 1997.

TEST PROCEDURE AND DISCUSSION OF RESULTS

A 2004 Pomisc Grand Prix 4-Door Sedan with an automatic transmission was subjected to FMVSS No. 114 testing in accordance with the NHTSA Office of Vehicle Safety Compliance (OVSC) Laboratory Test Procedure TP-114-01, dated December 17, 1997. This test was performed by General Dynamics Advanced Information Engineering Services on April 13, 2004.

The test equipment used for this test included a standard metric tape ruler, a digital inclinometer with digital clinometer function, weight scales and a digital manometer. Testing was performed in the following sequence:

KEY LOCKING SYSTEM REQUIREMENT (\$4.2):

The key locking system with the key removed, did prevent normal activation of the vehicle's engine. The stearing wheel did not keek after the key was removed. Forward self-mobility was prevented.

WARNING ALARM REQUIREMENT (\$4.5):

With the key left in the locking system and the driver's door opened, an andible alarm was activated. This "warning to the driver" was verified in all ignition switch positions except "on" and "start".

"PARK" POSITION REQUIREMENT (\$4.2.1(a)(2)):

The key locking system only permitted removal of the key when the automatic transmission shift lever was looked in "park". Key removal was attempted in all shift lever positions. On this vehicle, the transmission shift lever would not remain between detent positions without assistance.

TEN PERCENT GRADE "PARK" REQUIREMENT (S4.2.1(a)(3))

The vehicle was driven forward and stopped with the service brakes on a 10.8% grade. The parking brake was fully applied and the transmission lever was placed in "park". When the service and parking brakes were released the vehicle moved 21 mm (150 mm maximum is allowed on a 10% grade). Since the available test grade was more stringent than the specified condition, the subject vehicle appeared to perform within the safety performance requirements.

SPECIAL DEVICES REQUIREMENT (84.2.2):

The test vehicle was not equipped with any special devices.

"OUT OF PARK" POSITION REQUIREMENT (84.3):

Starting from the condition of the engine running at idle with the transmission shift lever in the "drive" position, the steering wheel remained unlocked and the vehicle was free to roll with the transmission shift lever in each position except "park" or "reverse" when the key locking system was turned to the "0" (off) position.

TEST DATA

3-i 8655-F114-06

DATA SHEET 1 - ALL VEHICLES

TEST DATE:	April 13, 200	4	LAB:	General Dynamics		
CONTRACT:	DTNH22-01-C-0	1025	VEHICLE N	HTSA NUMBER:	C401	01
VIN:	2G2W8542X4117	71754	BUILD DAT	E: _	08/0	3
MY/MAKE/MODEL/BO	DDY STYLE:		2004 Ponti	ac Grand Prix 4-Door	Sedan	
LOCATION OF KEY Lothe dashboard to the right						
console mounted to the v						
TRANSMISSION TYPE Automatic _ DRIVE TRAIN TYPE: Front Wheel	X; Mamual	; Roar W	Other	_; Four WI	ncel	
OPTIONAL RELEASE Key	DEVICES: ; Transmission	жı _	<u>-</u> ;	None X		
	REQUIRE	MENT 84	.2	-	PASS	FAΠ
Engine cannot be started		enition ke	у.		X	
With key removed, steer	ing wheel locks:					


With key removed, steering wheel looks: Yes; No _X Identify locking position on wheel using an arrow. Steering wheel did not lock when the key was	REQUIREMENT 84.2	PASS	₽AIL
Yes; No _X	Engine cannot be started without utilizing the ignition key.	X	
Identify locking position on wheel using an arrow. Steering wheel did not lock when the key was removed. Key removal prevents forward self mobility: Yes X; No	With key removed, steering wheel locks:		
Key removal prevents forward self mobility: Yes X; No If yes describe: Automatic transmission remains in "park" position.	Yea ; No X		
Steering wheel did not lock when the key was removed. The Compared Com	Identify locking position on wheel using an arrow.		
Key removal prevents forward self mobility: Yes X; No If yes describe: Automatic transmission remains in "park" position.	Steering wheel did not lock when the key was		
Key removal prevents forward self mobility: Yes X; No If yes describe: Automatic transmission remains in "park" position.			
Key removal prevents forward self mobility: Yes X; No			
Key removal prevents forward self mobility: Yes X; No			
If yes describe: Automatic transmission remains in "park" position.			
If yes describe: Automatic transmission remains in "park" position.	-		
If yes describe: Automatic transmission remains in "park" position.	Very removed presents framend self-mobility: Vec X No	+	 -
Locking system, with key removed prevents starting the engine and either steering or self X	11 AER GERCUGE: Amounte nanamenton tentants in "bark, hormour	\dashv	
Locking system, with key removed prevents starting the langua and either alcerting or sett A.		+	
	Locking system, with key removed prevents starting the engine and either steering or self mobility or both.	A	-

DATA SHEET 1 - ALL VEHICLES (continued)

REQUIREMENT S4.5	PASS	FAIL
Warning system is activated when the ignition key is left in any switch position except "on" and "start" and the driver's door is opened.	X	-

REMARKS:

Ignition Switch Positions: (refer to page 6-2 of this report for a description of the switch positions provided in the vehicle owner's manual).



RECORDED BY: Patrick G. MacDillermid, Jr. DATE: April 13, 2004

APPROVED BY: Quality

DATA SHEET 2 - AUTOMATIC TRANSMISSION VEHICLES ONLY

TEST DATE:	April 13	, 2004	LAB:	General Dy	manuics	
CONTRACT:	DINH22-0	1-C-01025	VEHICLE	NHTSA NUM	BER:	C40101
VIN:	2G2W8542	K41171754	BUILD D	ATE:		08/03
MY/MAKE/MODEL/BO	DY STYLE:		2004 Pm	ntiac Grand Prix	4-Door Sedan	
VEHICLE TEST WEIGH FUEL TANK LEVEL: *with driver and ballast	T* (kg):	1661.0 \\ _ (% OF M.		DRIVER AND	BALLAST (kg)): <u>91</u>
TIRE PRESSURE:						
Vehicle Manu	facturer Recom	nended (kPa)	: Front	210;	Rear	210
Measured (ki	a): LF _210	_; LR	210 ;	RF <u>210</u> ;	RR 210	_

REQUIREMENT S4.2.1(a)(2)	PASS	FAIL
Key locking system prevents key removal from any shift mechanism detent position	x	SEE MOTE
except "park".		
Key locking system prevents key removal from any position between the detent	x	SEE NOTE
positions where the shift mechanism will remain without assistance.		
NOTE: In the event that the key can be removed at any of the transmission shift lever		
positions, the vehicle's transmission or transmission shift lever shall become locked in		-
"park" as the direct result of removing the key. If such a mechanism exists, describe		
the mechanism and its function:	N/A	N/A
No such mechanism is available.		
System prevents movement of the shift mechanism out of "park' position after	х	
removal of key.]

DATA SHEET 2 - AUTOMATIC TRANSMISSION VEHICLES ONLY (continued)

REQUIREMENTS S4.2.1(a)(3)	PASS	FAIL
With the transmission in "park" measure movement of the vehicle down the slope upon releasing the service brake. Test grade: 10.8 % (9 to 15 %) Measured movement: 21 mm (150 mm maximum)	<u>x</u>	SEE HOTE
NOTE: Repeat procedure if vehicle fails on a grade in excess of 10%.		
Test grade: % (9 to 10 %) Measured movement: mm (150 mm maximum)	N/A	N/A

REQUIREMENT S4.3	PASS	FAIL
Transmission in any position other than "park" or "reverse" and the key locking system in the "0" (off) position. The steering wheel must remain unlocked and the vehicle	x	
must remain free to roll.		<u> </u>

REMARKS:

None

RECORDED BY:	Patrick G. Mile Diarmid, Jr.	DATE:	April 13, 2004
APPROVED BY:	Jany 4 (Zauch	_	

DATA SHEET 3 - SPECIAL DEVICES

TEST DATE:	April 13, 2004	_ LAB:	General Dynam:	<u> </u>		
CONTRACT:	DTNH22-01-C-01025	VEHICLE	NHTSA NUMBER	:	40101	
VIN:	2G2WS542X41171754	BUILD DA	ATE:		08/03	
MY/MAKE/MODEL/B	ODY STYLE:	2004 Pon	tiac Grand Prix 4-Do	or Sedan		
	REQUIREMENTS 84.2.2	(a)		PASS	FAIL	
Electrical failure capabil	lity permits ignition key remove	d with trensmi	ssion shift lever			
in other than "park" pos	ition.	Yes	_ No			
Upon key removal steer	ing wheel locks.		}	N/A	N/A	
Device permits key rem	oval when the transmission is it	other than				
the "park" position.		Yes	_ No			
The means for activating	g this device is covered by a nor	-transparent a	mrface which	N/A	N/A	
prevents sight and active	ation of the device. The non-tra	nsparent surfi	ce is removable			
only by use of a screwb	river or other tool.					
					}	
Describe the device, its	cover and its location:					
Not applicable						
			ļ			
Describe how the device	a in nativested:		1			
I	A 1% SCHANIST					
Not applicable						
Upon key removal, stee	ring wheel locks.			N/A	N/A_	

REMARKS:

Test vehicle is not equipped with this special device.

DATA SHEET 3 - SPECIAL DEVICES (continued)

REQUIREMENTS \$4,2.2(b)	PASS	FAIL
Device permits moving the transmission shift lever from "park"		
after key removal. Yes No		
The means for activating this device is covered by a non-transparent surface which	N/A	N/A
prevents sight and activation of the device. The non-transparent surface is removable		
only by use of a screwdriver or other tool.		
Describe the device, its cover and its location:		
Not applicable		
Describe how the device is activated:		
Not applicable		
Upon device activation, the steering wheel remains locked.	N/A_	N/A

REMARKS:

Test vehicle is not equipped with this special device.

RECORDED BY:	Patrick	G. MacDiarmid, Jr.	DATE:	April 13, 2004
APPROVED BY:	- Jun	a Cauch		
	V	U 3-7		8655-Ft14-06


TEST EQUIPMENT LIST AND CALIBRATION DATES


Equipment	Mannfacturer	Name	Range	Accuracy	Calibration Date	Calibration Due
Clinometer	MD	Smart Level	0-100%	0.1%	3/29/2004	3/29/2005
Steel Tape	Stanley	Stanley 3137	3 meters	0.5 mm	N/A	N/A
Weight Scales	Long Acre	Computer Scales 2000	0-12,000fbs.	0.2%	11/25/2003	11/25/2004
Manometer	Meriam Instrument Co.	350 Smart Manometer	0-200 psi.	0.05%	8/3/2003	8/3/2004
Plamb Bob	Stanley	Phamb bob	N/A	N/A	N/A	N/A

PHOTOGRAPHS


TABLE OF PHOTOGRAPHS


Figure		Photograph Title	Page
Figure	1	VEHICLE LEFT FRONT THREE-QUARTER VIEW	5- 2
Figure	2	VEHICLE CERTIFICATION PLACARD	5- 3
Figure	3	VEHICLE TIRE PLACARD	5-4
Figure	4	CLOSE-UP OF IGNITION SWITCH	S- S
Figure	5	CLOSE-UP OF TRANSMISSION SHIFT LEVER MECHANISM	5-6





433-1114-16






VEHICLE OWNER'S MANUAL

6-1 8655-F114-06

ole President Charles February Section MICESA Reside 49161

8-22-8114-06



0004 Poemiar Graund Prix 4-Exter Section NETISA Neul CADIOI

8655-73 14-06